

minio

minio `docker-compose`

```
# vi docker-compose.yml

version: '3'

services:
  velero-minio:
    image: minio/minio:latest
    restart: always # []
    privileged: true
    ports:
      - 33900:9000 # client []
      - 33901:9001 # console []
    volumes:
      - ./data:/data
    command: server /data --console-address :9001 --address :9000
    environment:
      - MINIO_ROOT_USER=
      - MINIO_ROOT_PASSWORD=!
      # []minio[]
      - MINIO_SERVER_URL=http://minio.abc.com
      # []minio[]
      - MINIO_BROWSER_REDIRECT_URL=http://minio-console.abc.com
```

MINIO_SERVER_URL `MINIO_BROWSER_REDIRECT_URL`

- MINIO_BROWSER_REDIRECT_URL

[][][][][][][][]

```
location /minio-console/ {
    rewrite ^/minio-console/(.*) /$1 break; # []
    proxy_http_version 1.1;
    proxy_set_header Upgrade $http_upgrade; # []websocket[]
    proxy_set_header Connection "upgrade";
```

```
    proxy_pass http://localhost:9001; # MinIO [REDACTED]
  }
}
```

- MINIO_SERVER_URL

API console [REDACTED] API console [REDACTED] console [REDACTED] console [REDACTED] http://<bucket name>/<object name> minio [REDACTED] \$B [REDACTED]
minio

[REDACTED]

```
location /minio/ {

    rewrite ^/minio/(.*) /$1 break;
    proxy_pass http://192.168.65.2:9000;
}
```

[REDACTED]

```
docker-compose -f docker-compse.yaml up -d
```

[REDACTED]

```
yum install epel-release
yum install s3fs-fuse

echo <USER>:<PASSWORD> > /etc/passwd-s3fs
chmod 640 /etc/passwd-s3fs

#[REDACTED]
# s3fs -o passwd_file=/etc/passwd-s3fs upload /data/nfs -o use_path_request_style -o
url=http://172.130.100.91:9000

# [REDACTED]
upload /data/nfs fuse.s3fs
_netdev,allow_other,use_path_request_style,url=http://172.130.100.91:9000 0 0
```

□□ #14

□□ 5 □□ 2023 12:18:23

□□□ □□ 26 □ 2026 17:14:00