


```
# 5
```

```
# channel id
```

```
delete from data_media;  
delete from data_media_pair;  
delete from pipeline;  
delete from pipeline_node_relation;  
delete from channel;
```

```
# ID
```

```
ALTER TABLE `channel` AUTO_INCREMENT = 2;  
ALTER TABLE `data_media` AUTO_INCREMENT = 1;  
ALTER TABLE `data_media_pair` AUTO_INCREMENT = 1;  
ALTER TABLE `pipeline` AUTO_INCREMENT = 1;  
ALTER TABLE `pipeline_node_relation` AUTO_INCREMENT = 1;
```

• otter

```
node id
```

```
function start_node() {  
    echo "start node ..."  
    # start node  
    cmd="sed -i -e 's/^otter.manager.address.*$/otter.manager.address = 127.0.0.1:8081/' /home/admin/node/conf/otter.properties"  
    eval $cmd  
  
    su admin -c 'cd /home/admin/node/bin/ && echo 1 > /home/admin/node/conf/nid && sh startup.sh 1>>/tmp/start.log 2>&1'  
    sleep 5  
    #check start  
    checkStart "node" "nc 127.0.0.1 2088 -w 1 -z | wc -l" 30  
}  
  
function stop_node() {
```

ID	NAME	IP	PORT	DESCRIPTION	PARAMETERS	GMT_CREATE	GMT_MODIFIED
1	default	127.0.0.1	2088	(Null)	{"downloadPort":2089,"mbeanPort":2090,"useExternalIp":false}	2025-03-20 00:28:13	2025-03-20 00:29:01



in,like RPC

otter

otter canal

otter BUG

-
-

docker-compose k8s

:

OTTER_MANAGER_URL host

nginx-ingress nginx basic IP

```
# ip

nginx.ingress.kubernetes.io/whitelist-source-range: "192.168.0.0/16,10.0.0.0/8"
```

```
# basic
# opaque
# auth
```

```
# [ ] htpasswd -c auth username [ ]
# [ ] https://www.bejson.com/encrypt/htpasswd/

# [ ] ingress[ ]
nginx.ingress.kubernetes.io/auth-type: basic
nginx.ingress.kubernetes.io/auth-secret: basic-auth
```

```
version: '3'
services:
  otter-server:
    image: swr.cn-south-1.myhuaweicloud.com/vp-public/otter-server:4.2.18
    container_name: otter-server
    restart: always
    privileged: true
    tty: true
    ports:
      - "8080:8080"
    environment:
      - OTTER_MANAGER_MYSQL=IP:PORT
      - MYSQL_USER=user
      - MYSQL_USER_PASSWORD=password
      - MYSQL_DBNAME=otter
      - OTTER_MANAGER_URL=https://domain:port # [ ]
    volumes:
      - . /zkData:/home/admin/zkData:rw # [ ]
```

```
[ ] otter[ ] shell[ ]
```

```
# vi manager/webapp/WEB-INF/common/uris.xml
# <serverURI>http://${otter.domainName}:${otter.port}</serverURI>
# [ ]
# /home/admin/manager/bin/stop.sh
# /home/admin/manager/bin/startup.sh
```



/bin/bash [] [] [] [] [] [] [] [] [] []

```
# [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]
```

```
cd /home/admin/bin
```

```
# [ ] [ ]mysql[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]
```

```
create database otter;
```

```
# [ ] [ ] [ ] [ ]
```

```
mysql -h127.0.0.1 -uroot -ppassword < ddl.sql
```

```
# [ ] [ ] [ ] [ ]
```

```
update autokeeper_cluster set SERVER_LIST='["127.0.0.1:2181"]'
```

```
update node set ip = '127.0.0.1'
```

```
[ ] [ ] #31
```

```
[ ] [ ] [ ] [ ] 8 [ ] [ ] 2024 15:42:11
```

```
[ ] [ ] [ ] [ ] 5 [ ] [ ] 2025 01:02:42
```