

otter

##

in, like RPC

otter

otter|cacnl

otter BUG

-
-

docker-compose k8s

:

OTTE_MANAGER_URL host

nginx-ingress nginx basic IP

```
# ip

nginx.ingress.kubernetes.io/whitelist-source-range: "192.168.0.0/16,10.0.0.0/8"
```

```
# basic
# opaque
# auth
# htpasswd -c auth username
# https://www.bejson.com/encrypt/htpasswd/
```

```
# ingress
nginx.ingress.kubernetes.io/auth-type: basic
nginx.ingress.kubernetes.io/auth-secret: basic-auth
```

```
version: '3'
services:
  otter-server:
    image: swr.cn-south-1.myhuaweicloud.com/vp-park/otter-server:latest
    container_name: otter-server
    restart: always
    privileged: true
    tty: true
    ports:
      - "8080:8080"
    environment:
      - OTTER_MANAGER_MYSQL=IP:PORT
      - MYSQL_USER=user
      - MYSQL_USER_PASSWORD=password
      - MYSQL_DBNAME=otter
      - OTTE_MANAGER_URL=https://domain:port
    volumes:
      - ./zkData:/home/admin/zkData:rw #
```

otter

```
# vi manager/webapp/WEB-INF/common/uris.xml
# <serverURI>http://${otter.domainName}:${otter.port}</serverURI>
#
# /home/admin/manager/bin/stop.sh
# /home/admin/manager/bin/startup.sh
```

/bin/bash

alarm_rule

autokeeper_cluster

canal

channel

column_pair

column_pair_group

data_matrix

data_media

data_media_pair

data_media_source

delay_stat

log_record

meta_history

meta_snapshot

node

pipeline

pipeline_node_relation

system_parameter

table_history_stat

table_stat

throughput_stat

user

对象node @park_otter (测试环境-10-333...

表配置文件

开始事务

单元格编辑器

筛选 & 排序

列

数据分析

工具

ID	NAME	IP	PORT	DESCRIPTION	PARAMETERS	GMT_CREATE	GMT_MODIFIED
1	default	127.0.0.1	2088	(Null)	{"downloadPort":2089,"mbeanPort":2090,"useExternalIp":false}	2025-03-20 00:28:13	2025-03-20 00:29:01

#19

8 2024 15:42:11

19 2025 16:45:36