

□□□□□□□□□□□□&&□□

□□□□□□□□□□□□□□□□

□□"□□□□□□□□□□□□□□□□□□"□□□□□□□□□□□□□□□□□□


端口映射器
1、新增一个规则
3、开始运行
增加
删除
修改
启动
停止
远程
关于
退出
感谢使用 端口映射器
映射组
连接监控
日志记录
名称
输入IP
输入端口
输出IP
输出端口
连接数
输入字节数
输出字节数
-mysql
Any IP
3306
33309
0
0
0


增加/修改端口映射
名称:
d-mysql
用于记忆的友好名称
程序运行时自动启动
端口设定
输入IP:
Any IP
本地地址
输入端口:
3306
本地端口
输出IP:
远程地址
输出端口:
33309
远程端口
基本设置
同时连接的最大数目:
0
单个IP连接的最大数目:
0
使用SOCK5代理服务器
地址:
端口:
0
黑名单设置
开始IP:
结束IP:
(A)增加
(D)删除
开始IP
结束IP
2、规则设置界面
(O)确定
(C)取消

- □□□□□□windows□

```
# □windows□□


# □□□□□□□□
# netsh interface portproxy add v4tov4 listenport=<□□□□> listenaddress=<□□□□> connectport=<□□□□>
connectaddress=<□□□□>
netsh interface portproxy add v4tov4 listenport=3306 listenaddress=0.0.0.0 connectport=33309
connectaddress=8.x.y.z

# □□□□□□□□
# netsh interface portproxy delete v4tov4 listenport=<□□□□> listenaddress=<□□□□>
netsh interface portproxy delete v4tov4 listenport=3306 listenaddress=0.0.0.0

# □□□□□□□□□□□□
netsh interface portproxy show all
```

jdbc:mysql://mysql:33306/xxxxx□jdbc:mysql://${mysql}:3306/xxxxx□□□□□□□□□□□□□□

□IDEA□□□□□□□□□□□□□



env□□□□□□□□□□□□□□□idea□□□□□□□□□□□□□□□□□□□□□□

```
# .env□□


nacos_host=
nacos_port=
mysql=127.0.0.1
redis=127.0.0.1
```

hosts□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□hosts□□□□□□□□□□□□□hosts□□□□□□□□□□□□□□□□□□□□□□□□hosts□□□□□□□□□□□□□□□□□□□□

https://www.easyhosts.cn/zh/


文件
System32\drivers\etc\hosts 只读
EasyHosts
更新于 2024/12/19 00:50:17
-test
双击条目出现√使生效
增加一个分组方便管理
添加条目
Additionally, comments (such as these) may be inserted on indiv
lines or following the machine name denoted by a '#' symbol.
#
For example:
#
102.54.94.97 rhino.acme.com # source server
38.25.63.10 x.acme.com # x client host
localhost name resolution is handled within DNS itself.
127.0.0.1 localhost
::1 localhost
Added by Docker Desktop
10.0.6.47 host.docker.internal
10.0.6.47 gateway.docker.internal
To allow the same kube context to work on the host and the cont
127.0.0.1 kubernetes.docker.internal
End of section
这里是合并后的hosts内容
--- Add by EasyHosts ---
gzxfzd-test
127.0.0.1 mysql
127.0.0.1 redis



□□□ #36
□ □□□ □□□ 18 □□□ 2024 14:25:16
□ □□□ □□□ 29 □□ 2026 16:40:23