

Tomcat

tomcat

server:

tomcat:

max-connections: 10000 # 8192

threads:

max: 1000 # 200 tomcat 200

min-spare: 100 #

accept-count: 100 # 10%

- max-connections: 10000 Tomcat 10000
- threads:
 - max: 1000 Tomcat 1000
 - min-spare: 100 Tomcat 100

accept-count: 100 Tomcat Tomcat

Timeout, socket closed

nginx

gzip

```
# gzip
gzip on;
#
gzip_types text/plain text/css application/json text/javascript application/javascript;
#
gzip_min_length 1000;
# 1-9 CPU
gzip_comp_level 6;
# http header Vary: Accept-Encoding
gzip_vary on;
```

```
# 1E6 gzip gzip
gzip_disable "MSIE [1-6]\\. ";
#
gzip_proxied expired no-cache no-store private auth;
# 16 8KB
gzip_buffers 16 8k;
# http
gzip_http_version 1.1;
```

Springboot

-
-
-

jmeter

- jmeter.bat jar
- jmeter.bat

HEAP

```
if not defined HEAP (
    rem See the unix startup file for the rationale of the following parameters,
    rem including some tuning recommendations
    set HEAP=- Xms1g - Xmx8g - XX: MaxMetaspaceSize=512m
)
```

bat

```
if not defined JMETER_LANGUAGE (
    rem Set language
    rem Default to en_EN
    set JMETER_LANGUAGE=-Duser.language="zh" -Duser.region="CN"
)
```

从bat打开软件设置中文

jvm

<https://iovhm.com/book/books/cee63/page/jvm>

□□ #15

□ □□ □□ 23 □ 2025 08:19:20

□ □□ □□ 29 □ 2026 16:40:23