



- github:<https://github.com/shadowsocks/go-shadowsocks2?tab=readme-ov-file>
- <https://pkg.go.dev/github.com/shadowsocks/go-shadowsocks2#readme-install>

-

linux

-

#

```
wget http://qq829.cn/uploads/shadowsocks2/shadowsocks2-linux
```

```
cp ./shadowsocks2-linux /usr/local/bin
```

```
chmod 777 /usr/local/bin/shadowsocks2-linux
```

-

```
# vi /usr/lib/systemd/system/shadowsocks2.service
```

```
[Unit]
```

```
Description=shadowsocks2
```

```
After=network.target
```

```
Wants=network-online.target
```

```
[ Service]

Restart=always

Type=simple

ExecStart=/usr/local/bin/shadowsocks2-linux -s 'ss://aes-256-gcm:<password>@:8080' -verbose

# []client[]

# ExecStart=/usr/local/bin/shadowsocks2-linux -c 'ss://aes-256-

gcm:<password>@<server_ip>:8080' -socks :1080 -verbose



[ Install]

WantedBy=multi-user.target
```


-

-
-

windows <https://qq829.cn/uploads/shadowsocks2/shadowsocks-4.4.1.0.zip>

[illegible]

-




- [] [] [] [] [] []

https://qq829.cn/uploads/shadowsocks2/extension_2_5_21_0.crx


- [] [] [] [] [] []

[] [] [] [] [] chrome://extension_2_5_21_0.crx [] [] [] [] [] [] [] []

- [] [] [] [] [] [] [] [] [] []



- [] [] [] [] [] []



SwitchyOmega

设置

- 界面
- 通用
- 导入/导出

情景模式

- proxy
- + 新建情景模式...

ACTIONS

- 应用选项
- 撤销更改

情景模式： proxy

代理服务器

网址协议	代理协议	代理服务器	代理端口
(默认)	SOCKS5		

显示高级设置

- 直接连接
- HTTP
- HTTPS
- SOCKS4
- SOCKS5

不代理的地址

不经过代理连接的主机列表: (每行一个主机)
(可使用通配符等匹配规则...)

```
*.baidu.com
*.exisys.com
*.gisc.info
*.jd.com
*.taobao.com
*.zhibu.com
*.cn
*.huaweicloud.com
::1
localhost
```


- ☐ SOCKS5
- ☐: 127.0.0.1
- ☐1080 ☐

- ☐

☐

```
*.baidu.com
*.jd.com
*.taobao.com
*.zhihu.com
*.qq.com
*.cn
*.huaweicloud.com
*.alipay.com
*.aliyun.com
*.alicdn.com
*.csdn.net
*.csdn.com
*.douyin.com
::1
127.0.0.1
localhost
```

- ☐



- ☐

1. 安装 shadowsocks 客户端

1.1 Windows 用户

1.1.1 下载 shadowsocks-win

1.1.2 安装 shadowsocks-win


1.1.3 配置 shadowsocks-win

1.1.4 启动 shadowsocks-win

1.1.5 验证 shadowsocks-win

1.1.6 使用 shadowsocks-win

1.1.7 使用 shadowsocks-win 代理 edge/chrome



linux

```
./shadowsocks2-linux -c 'ss://aes-256-gcm:<password>@<server_ip>:8080' -socks :1080 -verbose
```

```
# 设置代理
```

```
export http_proxy=socks5://127.0.0.1:1080
export https_proxy=socks5://127.0.0.1:1080
export all_proxy=socks5://127.0.0.1:1080
```

```
# 取消代理
```

```
unset http_proxy
unset https_proxy
unset all_proxy
```

docker

- 安装 docker <https://iovm.com/book/books/k8s/page/docker>

- 使用 docker

- 使用 google/github
- 使用 shadowsocks

10/10/2023 15:23:22

□ □ □ □ □ □ 3 □ □ 2025 05:12:36