

# 部署k8s-v1.20.15

## 部署k8s部署calico

```
wget qq829.cn/uploads/software/k8s/v1.20.15/google_containers.tar.gz
wget qq829.cn/uploads/software/k8s/v1.20.15/calico.tar.gz
```

## 部署k8s

### 1部署k8s

### 2部署镜像

```
docker tag registry.aliyuncs.com/google_containers/kube-apiserver:v1.20.15
harbor.iovhm.com:5000/google_containers/kube-apiserver:v1.20.15
docker tag registry.aliyuncs.com/google_containers/kube-controller-manager:v1.20.15
harbor.iovhm.com:5000/google_containers/kube-controller-manager:v1.20.15
docker tag registry.aliyuncs.com/google_containers/kube-scheduler:v1.20.15
harbor.iovhm.com:5000/google_containers/kube-scheduler:v1.20.15
docker tag registry.aliyuncs.com/google_containers/kube-proxy:v1.20.15
harbor.iovhm.com:5000/google_containers/kube-proxy:v1.20.15
docker tag registry.aliyuncs.com/google_containers/pause:3.2
harbor.iovhm.com:5000/google_containers/pause:3.2
docker tag registry.aliyuncs.com/google_containers/etcd:3.4.13-0
harbor.iovhm.com:5000/google_containers/etcd:3.4.13-0
docker tag registry.aliyuncs.com/google_containers/coredns:1.7.0
harbor.iovhm.com:5000/google_containers/coredns:1.7.0
```

### 3部署

```
docker save harbor.iovhm.com:5000/google_containers/kube-apiserver:v1.20.15 > kube-apiserver:v1.20.15.tar
```

```
docker save harbor.iovhm.com:5000/google_containers/kube-controller-manager:v1.20.15 > kube-controller-manager:v1.20.15.tar
docker save harbor.iovhm.com:5000/google_containers/kube-scheduler:v1.20.15 > kube-scheduler:v1.20.15.tar
docker save harbor.iovhm.com:5000/google_containers/kube-proxy:v1.20.15 > kube-proxy:v1.20.15.tar
docker save harbor.iovhm.com:5000/google_containers/pause:3.2 > pause:3.2.tar
docker save harbor.iovhm.com:5000/google_containers/etcd:3.4.13-0 > etcd:3.4.13-0.tar
docker save harbor.iovhm.com:5000/google_containers/coredns:1.7.0 > coredns:1.7.0.tar
```

## 4[ ][ ][ ][ ][ ][ ]

## 5[ ][ ][ ][ ][ ]

```
docker load < kube-apiserver:v1.20.15.tar
docker load < kube-controller-manager:v1.20.15.tar
docker load < kube-scheduler:v1.20.15.tar
docker load < kube-proxy:v1.20.15.tar
docker load < pause:3.2.tar
docker load < etcd:3.4.13-0.tar
docker load < coredns:1.7.0.tar
```

## 6[ ][ ]harbor[ ][ ][ ][ ]

```
curl -u "admin:Harbor12345" -X POST "http://your-harbor-domain/api/v2.0/projects" -H "Content-Type: application/json" -d '{"project_name": "google_containers","public": true}'
```

## 7[ ][ ][ ][ ][ ][ ][ ]

```
docker push harbor.iovhm.com:5000/google_containers/kube-apiserver:v1.20.15
docker push harbor.iovhm.com:5000/google_containers/kube-controller-manager:v1.20.15
docker push harbor.iovhm.com:5000/google_containers/kube-scheduler:v1.20.15
docker push harbor.iovhm.com:5000/google_containers/kube-proxy:v1.20.15
docker push harbor.iovhm.com:5000/google_containers/pause:3.2
docker push harbor.iovhm.com:5000/google_containers/etcd:3.4.13-0
docker push harbor.iovhm.com:5000/google_containers/coredns:1.7.0
```

## 1 calico

### 1

### 2

```
docker tag calico/kube-controllers:v3.21.6 harbor.iovhm.com:5000/hub/calico/kube-controllers:v3.21.6
docker tag calico/cni:v3.21.6 harbor.iovhm.com:5000/hub/calico/cni:v3.21.6
docker tag calico/pod2daemon-flexvol:v3.21.6 harbor.iovhm.com:5000/hub/calico/pod2daemon-flexvol:v3.21.6
docker tag calico/node:v3.21.6 harbor.iovhm.com:5000/hub/calico/node:v3.21.6
```

### 3

```
docker save harbor.iovhm.com:5000/hub/calico/kube-controllers:v3.21.6 > kube-controllers:v3.21.6.tar
docker save harbor.iovhm.com:5000/hub/calico/cni:v3.21.6 > cni:v3.21.6.tar
docker save harbor.iovhm.com:5000/hub/calico/pod2daemon-flexvol:v3.21.6 > pod2daemon-flexvol:v3.21.6.tar
docker save harbor.iovhm.com:5000/hub/calico/node:v3.21.6 > node:v3.21.6.tar
```

### 4

### 5

```
docker load < kube-controllers:v3.21.6.tar
docker load < cni:v3.21.6.tar
docker load < pod2daemon-flexvol:v3.21.6.tar
docker load < node:v3.21.6.tar
```

## 6 harbor

```
curl -u "admin:Harbor12345" -X POST "http://your-harbor-domain/api/v2.0/projects" -H "Content-Type: application/json" -d '{"project_name": "hub","public": true}'
```

### 7

```
docker push harbor.iovhm.com:5000/hub/calico/cni:v3.21.6
```

```
docker push harbor.iovhm.com:5000/hub/calico/pod2daemon-flexvol:v3.21.6
```

```
docker push harbor.iovhm.com:5000/hub/calico/node:v3.21.6
```

---

📦 #7

📦 📦 📦 3 📦 2024 02:10:11

📦 📦 📦 16 📦 2025 06:08:02