

rancher2.8



image not found or type unknown



image not found or type unknown



image not found or type unknown









- CronJob : 
- DaemonSet: 
- Deploymen: 
- Job: 
- StatefulSet: 
- Pod: 



image not found or type unknown



secret 

image not found or type unknown



k8s

park-weihai X

Secret: 创建

- R** 镜像仓库
用于拉取容器镜像的已验证仓库 [更多信息](#)
- C** 自定义类型
使用自定义类型创建密文
- HTTP** HTTP 基础认证
使用用户名和密码进行验证 [更多信息](#)
- O** Opaque
使用键值对的默认密文类型 [更多信息](#)
- SSH** SSH 密钥
用于 SSH 认证的公钥和私钥 [更多信息](#)
- TLS** TLS 证书
存储 TLS 证书和密钥 [更多信息](#)



image not found or type unknown



huawei-k8s

Secret ☆

下载 YAML 删除

状态	名称	类型	数据
<input type="checkbox"/>	default-secret	镜像仓库	100.125.16.65:20202, swr.cn-s
<input type="checkbox"/>	paas.elb	cfe/secure-opaque	access.key, secret.key, security.d

命名空间: default

PV存储

配置映射, 可以作为存储挂载到容器

密文映射, 可以作为存储挂载到容器



deployment

image not found or type unknown



image not found or type unknown



image not found or type unknown



image not found or type unknown



deployment POD

```

workload.user.cattle.io/workloadselector = apps.deployment-devops-bt-monitor-klipper-lb

# workload.user.cattle.io/workloadselector
# rancher
# apps.deployment-devops-bt-monitor-klipper-lb
#
# apps.deployment
# devops
# bt-monitor-klipper-lb

```

image not found or type unknown



image not found or type unknown



- Headless: [redacted] P [redacted] 42 [redacted]
- ClusterIP: [redacted] P [redacted]

image not found or type unknown



image not found or type unknown



[redacted] ingress [redacted] ingress

huawei-k8s 用户命名空间

Ingress ☆ 创建

下载 YAML 删除

状态	名称	目标	默认	IngressClass	存活时间
Active	default-2	默认 > nginx	✓		1.7天

[redacted] ingress [redacted]

image not found or type unknown



[redacted] #16

[redacted] [redacted] 8 [redacted] 2023 17:26:04

[redacted] [redacted] 30 [redacted] 2025 04:38:42