

firecrawl

📄

📄 SvelteKit VUE.js html 📄 chrome 📄

📄

- 📄 Svelte
- 📄 LLM 📄 markdown 📄 HTML 📄
- 📄 main 📄

📄

- <https://docs.firecrawl.dev/introduction>
- [firecrawl V1 📄 https://docs.firecrawl.dev/v1-welcome](https://docs.firecrawl.dev/v1-welcome)
- github 📄 <https://github.com/mendableai/firecrawl>

📄

~~docker~~-compose build ~~docker~~-compose up -d 📄

playwright-service

📄 SvelteKit 📄

📄.env 📄

```
# 📄  
NUM_WORKERS_PER_QUEUE=8  
PORT=3002  
HOST=0.0.0.0  
REDIS_URL=redis://redis:6379  
REDIS_RATE_LIMIT_URL=redis://redis:6379  
PLAYWRIGHT_MICROSERVICE_URL=http://playwright-service:3000/html  
  
# 📄  
USE_DB_AUTHENTICATION=false
```



```
-H 'Authorization: Bearer YOUR_API_KEY' \  
-d '{  
  "url": "https://firecrawl.dev"  
}'  
  
``  
  
- [ ]  
  
```shell
```

```
curl -X POST http://localhost:3002/v1/search \
-H 'Content-Type: application/json' \
-H 'Authorization: Bearer YOUR_API_KEY' \
-d '{
 "query": "AI tools",
 "limit": 5,
 "scrapeOptions": {
 "formats": ["markdown"]
 }
}'
```

- [ ]

```
curl -X POST http://localhost:3002/v1/extract \
-H 'Content-Type: application/json' \
-H 'Authorization: Bearer YOUR_API_KEY' \
-d '{
 "url": "https://example.com",
 "extract": {
 "schema": {
 "type": "object",
 "properties": {
 "title": {"type": "string"},
 "price": {"type": "number"}
 }
 }
 }
}'
```

```
}'
```

- `{}{}``

```
curl -X POST http://localhost:3002/v1/batch/scrape \
 -H 'Content-Type: application/json' \
 -H 'Authorization: Bearer YOUR_API_KEY' \
 -d '{
 "urls": ["https://example1.com", "https://example2.com"],
 "options": {
 "formats": ["markdown"]
 }
 }'
```

---

`{} #5`

`{} {} 7 {} 2025 18:17:39`

`{} {} 18 {} 2025 03:45:38`